

Computational Statistics

27 · 1

2012

ORIGINAL PAPERS

Inference for Cox's regression models via adjusted empirical likelihood

Y. Zhao · A. Jinnah 1

Efficient simulated maximum likelihood estimation through explicitly parameter dependent importance sampling

C.N. Brinch 13

Computing multiple-output regression quantile regions from projection quantiles

D. Paindaveine · M. Šiman 29

A generalized log-normal distribution and its goodness of fit to censored data

B. Singh · K.K. Sharma · S. Rathi · G. Singh 51

Goodness-of-fit for a concentrated von Mises-Fisher distribution

A.M.S. Figueiredo 69

Functional outlier detection with robust functional principal component analysis

P. Sawant · N. Billor · H. Shin 83

A graphical tool for selecting the number of slices and the dimension of the model in SIR and SAVE approaches

B. Liquez · J. Saracco 103

Reusable components in decision tree induction algorithms

M. Suknovic · B. Delibasic · M. Jovanovic · M. Vukicevic · D. Becejski-Vujaklija · Z. Obradovic 127

Variational Markov chain Monte Carlo for Bayesian smoothing of non-linear diffusions

Y. Shen · D. Cornford · M. Opper · C. Archambeau 149

SHORT NOTE

A short note on parameter approximation for von Mises-Fisher distributions: and a fast implementation of $I_s(x)$

S. Sra 177