



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE ES0000140  
SITENAME Bahía de Cádiz

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> C	<b>1.2 Site code</b> ES0000140	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Bahía de Cádiz
----------------

<b>1.4 First Compilation date</b> 1997-12	<b>1.5 Update date</b> 2012-12
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b>	DIRECCIÓN GENERAL DE ESPACIOS NATURALES Y PARTICIPACIÓN CIUDADANA. CONSEJERÍA DE MEDIO AMBIENTE. JUNTA DE ANDALUCÍA
<b>Address:</b>	AVD. DE MANUEL SIUROT 50. 41013 - SEVILLA. ESPAÑA - TLFNO. 95 500 35 21
<b>Email:</b>	enrique.camello@juntadeandalucia.es

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	1993-06
<b>National legal reference of SPA designation</b>	No data

<b>Date site proposed as SCI:</b>	1997-12
<b>Date site confirmed as SCI:</b>	No data
<b>Date site designated as SAC:</b>	2012-10

National legal reference of SAC designation:

Decreto 493/2012, de 25 de septiembre, por el que se declaran determinados lugares de importancia comunitaria como Zonas Especiales de Conservación de la Red Ecológica Europea Natura 2000 en la Comunidad Autónoma de Andalucía.

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)

**Longitude**

-6.19078407087

**Latitude**

36.4012439749

### 2.2 Area [ha]:

10522.05

### 2.3 Marine area [%]

0.0

### 2.4 Sitelength [km]:

0.0

### 2.5 Administrative region code and name

**NUTS level 2 code**

**Region Name**

ES61	Andalucía
ESZZ	Extra-Regio

### 2.6 Biogeographical Region(s)

Mediterranean (0.0  
%)

## 3. ECOLOGICAL INFORMATION

### 3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1110B			105.2175			A	C	A	A
1140B			631.305			A	A	A	A
1320B			210.435			A	B	A	A
1420B			4734.7875			B	A	B	A

2120		105.2175				A		C	A	A
2270		105.2175				B		C	B	B
5330		105.2175				B		C	B	B
6420		105.2175				B		C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Gl
B	A168	<a href="#">Actitis hypoleucos</a>			w	1	50	i		M				
B	A247	<a href="#">Alauda arvensis</a>			w				P					
B	A200	<a href="#">Alca torda</a>			w				P					
B	A229	<a href="#">Alcedo atthis</a>			w				P		D			
B	A054	<a href="#">Anas acuta</a>			w				P					
B	A056	<a href="#">Anas clypeata</a>			r				P					
B	A056	<a href="#">Anas clypeata</a>			w				P					
B	A052	<a href="#">Anas crecca</a>			w				P					
B	A050	<a href="#">Anas penelope</a>			w	5000		i		M				
B	A053	<a href="#">Anas platyrhynchos</a>			w				P					
B	A053	<a href="#">Anas platyrhynchos</a>			r				P					
B	A055	<a href="#">Anas querquedula</a>			w				P					
B	A257	<a href="#">Anthus pratensis</a>			w				P					
F	1151	<a href="#">Aphanius iberus</a>			p				P		A	A	A	A
B	A028	<a href="#">Ardea cinerea</a>			w	1	1000	i		M				
B	A169	<a href="#">Arenaria interpres</a>			w				P					
B	A169	<a href="#">Arenaria interpres</a>			c	1	250	i		M				

B	A222	<a href="#">Asio flammeus</a>			w				P		C	B	C	B
B	A045	<a href="#">Branta leucopsis</a>			c				P		D			
B	A025	<a href="#">Bubulcus ibis</a>			p				P					
B	A133	<a href="#">Burhinus oedicnemus</a>			w	1	70	i		M	C	B	C	B
B	A243	<a href="#">Calandrella brachydactyla</a>			r				P		C	B	C	B
B	A431	<a href="#">Calandrella rufescens</a>			p				P					
B	A144	<a href="#">Calidris alba</a>			w				P					
B	A144	<a href="#">Calidris alba</a>			c	1	3000	i		M				
B	A149	<a href="#">Calidris alpina</a>			c				P					
B	A149	<a href="#">Calidris alpina</a>			w	1	13000	i		M				
B	A143	<a href="#">Calidris canutus</a>			c	1	50	i		M				
B	A143	<a href="#">Calidris canutus</a>			w				P					
B	A147	<a href="#">Calidris ferruginea</a>			w				P					
B	A147	<a href="#">Calidris ferruginea</a>			c	1	150	i		M				
B	A148	<a href="#">Calidris maritima</a>			w				P					
B	A148	<a href="#">Calidris maritima</a>			c	1	25	i		M				
B	A145	<a href="#">Calidris minuta</a>			w				P					
B	A145	<a href="#">Calidris minuta</a>			c	1	400	i		M				
B	A364	<a href="#">Carduelis carduelis</a>			p				P					
R	1224	<a href="#">Caretta caretta</a>			c				P		C	C	B	C
B	A138	<a href="#">Charadrius alexandrinus</a>			w	1	3800	i		M				
B	A138	<a href="#">Charadrius alexandrinus</a>			r	200		p		M				
B	A136	<a href="#">Charadrius dubius</a>			w				P					
B	A137	<a href="#">Charadrius hiaticula</a>			w	1	2400	i		M				
B	A196	<a href="#">Chlidonias hybridus</a>			c				P		C	B	C	B
B	A197	<a href="#">Chlidonias niger</a>			c				P		C	B	C	B
F	1116	<a href="#">Chondrostoma polylepis</a>			p				P		C	C	B	C
B	A031	<a href="#">Ciconia ciconia</a>			p				P		C	B	C	B
B	A031	<a href="#">Ciconia ciconia</a>			w	1	150		P	M	C	B	C	B
B	A030	<a href="#">Ciconia nigra</a>			c				P		C	B	C	B
B	A081	<a href="#">Circus aeruginosus</a>			c				P		C	B	C	B





B	A035	<a href="#">ruber</a>			p	3000	3000	i		G	A	B	A	A
B	A035	<a href="#">Phoenicopterus ruber</a>			r	3000	3000	i	P	G	A	B	A	A
B	A034	<a href="#">Platalea leucorodia</a>			r	1	50	p		M	B	B	A	A
B	A034	<a href="#">Platalea leucorodia</a>			w	1	200	i		M	B	B	A	A
B	A140	<a href="#">Pluvialis apricaria</a>			w				P		C	B	C	B
B	A141	<a href="#">Pluvialis squatarola</a>			w	1	1900	i		M				
B	A005	<a href="#">Podiceps cristatus</a>			w	450		i		M				
B	A008	<a href="#">Podiceps nigricollis</a>			w	1	175	i		M				
B	A124	<a href="#">Porphyrio porphyrio</a>			p				P		C	B	C	B
B	A132	<a href="#">Recurvirostra avosetta</a>			r	1	500	p		M	A	B	C	B
B	A132	<a href="#">Recurvirostra avosetta</a>			w	1	1500	i		M	A	B	C	B
B	A188	<a href="#">Rissa tridactyla</a>			w				P					
B	A276	<a href="#">Saxicola torquata</a>			p				P					
B	A195	<a href="#">Sterna albifrons</a>			r	1	450	p		M	A	B	C	B
B	A190	<a href="#">Sterna caspia</a>			w	1	10	i		M	B	B	A	A
B	A193	<a href="#">Sterna hirundo</a>			w				P		B	B	C	B
B	A193	<a href="#">Sterna hirundo</a>			c				P		B	B	C	B
B	A191	<a href="#">Sterna sandvicensis</a>			c				P		C	B	C	B
B	A191	<a href="#">Sterna sandvicensis</a>			w				P		C	B	C	B
B	A352	<a href="#">Sturnus unicolor</a>			p				P					
B	A351	<a href="#">Sturnus vulgaris</a>			w				P					
B	A311	<a href="#">Sylvia atricapilla</a>			w				P					
B	A303	<a href="#">Sylvia conspicillata</a>			r				P					
B	A305	<a href="#">Sylvia melanocephala</a>			p				P					
B	A004	<a href="#">Tachybaptus ruficollis</a>			w	1	100	i		M				
B	A048	<a href="#">Tadorna tadorna</a>			w	1	375	i		M				
B	A161	<a href="#">Tringa erythropus</a>			c	1	25	i		M				
B	A161	<a href="#">Tringa erythropus</a>			w				P					

B	A164	<a href="#">Tringa nebularia</a>			w				P				
B	A164	<a href="#">Tringa nebularia</a>			c	1	50	i		M			
B	A165	<a href="#">Tringa ochropus</a>			c				P				
B	A165	<a href="#">Tringa ochropus</a>			w	1	50	i		M			
B	A163	<a href="#">Tringa stagnatilis</a>			c				P				
B	A162	<a href="#">Tringa totanus</a>			w	1	1900	i		M			
B	A162	<a href="#">Tringa totanus</a>			c				P				
B	A142	<a href="#">Vanellus vanellus</a>			w	1	25	i		M			

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species				Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		<a href="#">Arthrocnemum glaucum</a>												X
P		<a href="#">Halimione portulacoides</a>												X
P		<a href="#">Inula crithmoides</a>												X
P		<a href="#">Limoniastrum monopetalum</a>												X
P		<a href="#">Salicornia ramosissima</a>												X
P		<a href="#">Spartina maritima</a>												X
P		<a href="#">Suaeda maritima</a>												X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used



- in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

[Back to top](#)

### 4.1 General site character

Habitat class	% Cover
N17	1.0
N09	2.0
N08	2.0
N04	2.0
N23	2.0
N02	62.0
N03	29.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

Los rasgos principales del lugar vienen definidos por la descripción en sus clases de hábitats.

### 4.2 Quality and importance

Imprescindible para hábitats de la Directiva 92/43/CEE. Importante para *Hymenostemma pseudoanthemis*  
Ecosistemas de transición marino-terrestres

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	H05		I
M	J02.01.03		I

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

## 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
ES13	5.0	ES10	95.0		

### 5.3 Site designation (optional)

Declarado Parque Natural por la Ley 2/1989, de 18 de julio

## 6. SITE MANAGEMENT

[Back to top](#)

### 6.1 Body(ies) responsible for the site management:

Organisation:	DIRECCIÓN GENERAL DE ESPACIOS NATURALES Y PARTICIPACIÓN CIUDADANA. CONSEJERÍA DE AGRICULTURA, PESCA Y MEDIO AMBIENTE. JUNTA DE ANDALUCÍA
Address:	AVD. DE MANUEL SIUROT 50. 41013 - SEVILLA. ESPAÑA - TLFNO. 95 500 35 21
Email:	enrique.camello@juntadeandalucia.es

### 6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: PORN y PRUG del Parque Natural Bahía de Cádiz (Incluye los Parajes Naturales Isla del Trocadero)
	Link:	<a href="http://www.juntadeandalucia.es/medioambiente/site/portalweb/menuitem.7e1cf46ddf59bb227a9ebe205510e1ca/?vgn=1">http://www.juntadeandalucia.es/medioambiente/site/portalweb/menuitem.7e1cf46ddf59bb227a9ebe205510e1ca/?vgn=1</a>
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

### 6.3 Conservation measures (optional)

PORN y PRUG aprobados por Decreto 99/1994, de 3 de mayo Decreto 79/2004, de 24 de febrero, por el que se aprueba el Plan de Ordenación de los Recursos Naturales y el Plan Rector de Uso y Gestión del Parque Natural Bahía de Cádiz