



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ES6130002
SITENAME Sierra Subbética

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type C | 1.2 Site code ES6130002 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

Sierra Subbética

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1997-12 | 1.5 Update date 2012-12 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|---------------------------|---|
| Name/Organisation: | DIRECCIÓN GENERAL DE ESPACIOS NATURALES Y PARTICIPACIÓN CIUDADANA. CONSEJERÍA DE MEDIO AMBIENTE. JUNTA DE ANDALUCÍA |
| Address: | AVD. DE MANUEL SIUROT 50. 41013 - SEVILLA. ESPAÑA - TLFNO. 95 500 35 78 |
| Email: | enrique.camello@juntadeandalucia.es |

1.7 Site indication and designation / classification dates

| | |
|--|---------|
| Date site classified as SPA: | 2002-10 |
| National legal reference of SPA designation | No data |

| | |
|-------------------------------------|---------|
| Date site proposed as SCI: | 1997-12 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2012-10 |

| | | | | | | | | | | |
|------|--|-----------|--|--|--|---|--|---|---|---|
| | | 320.5592 | | | | B | | C | B | B |
| 8130 | | 320.5592 | | | | A | | C | A | A |
| 8210 | | 320.5592 | | | | B | | C | B | B |
| 8310 | | 320.5592 | | | | C | | C | C | C |
| 92A0 | | 320.5592 | | | | B | | C | B | B |
| 9340 | | 2885.0328 | | | | B | | C | B | B |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | Population in the site | | | | | | | Site assessment | | | | |
|---------|------|---|------------------------|----|---|------|-----|------|------|-----------------|---------|------|-------|----|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | | A B C | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Gl |
| B | A085 | Accipiter gentilis | | | p | 2 | | p | | M | C | B | C | B |
| B | A086 | Accipiter nisus | | | p | 4 | | p | | M | C | B | C | B |
| B | A324 | Aegithalos caudatus | | | p | | | | P | | | B | C | B |
| B | A079 | Aegypius monachus | | | c | | | | P | | C | B | B | B |
| B | A247 | Alauda arvensis | | | w | | | | P | | | B | C | B |
| B | A229 | Alcedo atthis | | | p | | | | P | | C | B | C | B |
| B | A110 | Alectoris rufa | | | p | | | | P | | | B | C | B |
| B | A257 | Anthus pratensis | | | w | | | | P | | | B | C | B |
| B | A259 | Anthus spinoletta | | | c | | | | P | | | B | C | B |
| B | A226 | Apus apus | | | r | | | | P | | | B | C | B |
| B | A227 | Apus pallidus | | | r | | | | P | | | B | C | B |
| B | A091 | Aquila chrysaetos | | | p | 3 | 3 | p | | G | C | B | C | B |
| B | A222 | Asio flammeus | | | w | | | | P | | C | B | C | B |
| B | A218 | Athene noctua | | | p | | | | P | | | B | C | B |
| I | 1092 | Austropotamobius pallipes | | | p | | | | P | | B | C | A | A |
| B | A087 | Buteo buteo | | | p | | | | P | | | B | C | B |
| B | A224 | Caprimulgus europaeus | | | c | | | | P | | C | B | B | B |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|--|--|--|---|--|---|---|---|---|
| B | A279 | Oenanthe leucura | | | p | | | | P | | D | | | |
| B | A277 | Oenanthe oenanthe | | | r | | | | P | | | B | C | B |
| B | A337 | Oriolus oriolus | | | r | | | | P | | C | B | C | B |
| B | A214 | Otus scops | | | r | | | | P | | | B | C | B |
| B | A329 | Parus caeruleus | | | p | | | | P | | | B | C | B |
| B | A327 | Parus cristatus | | | p | | | | P | | | B | C | B |
| B | A330 | Parus major | | | p | | | | P | | | B | C | B |
| B | A354 | Passer domesticus | | | p | | | | P | | | B | C | C |
| B | A356 | Passer montanus | | | p | | | | P | | | B | C | B |
| B | A072 | Pernis apivorus | | | c | | | | P | | C | B | A | B |
| B | A357 | Petronia petronia | | | p | | | | P | | B | B | C | B |
| B | A273 | Phoenicurus ochruros | | | p | | | | P | | | B | C | B |
| B | A274 | Phoenicurus phoenicurus | | | c | | | | P | | | B | A | B |
| B | A313 | Phylloscopus bonelli | | | c | | | | P | | | B | C | B |
| B | A315 | Phylloscopus collybita | | | w | | | | P | | | B | C | B |
| B | A316 | Phylloscopus trochilus | | | c | | | | P | | | B | A | B |
| B | A343 | Pica pica | | | p | | | | P | | | B | C | C |
| B | A235 | Picus viridis | | | p | | | | P | | C | B | C | B |
| B | A267 | Prunella collaris | | | w | | | | P | | | B | C | B |
| B | A266 | Prunella modularis | | | w | | | | P | | | B | C | B |
| B | A250 | Ptyonoprogne rupestris | | | p | | | | P | | | B | C | B |
| B | A346 | Pyrrhocorax pyrrhocorax | | | p | | | | P | | C | B | C | B |
| B | A318 | Regulus ignicapillus | | | w | | | | P | | | B | C | B |
| B | A249 | Riparia riparia | | | c | | | | P | | | B | B | B |
| B | A275 | Saxicola rubetra | | | c | | | | P | | | B | A | B |
| B | A361 | Serinus serinus | | | p | | | | P | | | B | C | B |
| B | A332 | Sitta europaea | | | p | | | | P | | C | B | B | B |
| B | A210 | Streptopelia turtur | | | r | | | | P | | | B | C | B |
| B | A219 | Strix aluco | | | p | | | | P | | | B | C | B |
| B | A352 | Sturnus unicolor | | | p | | | | P | | | B | C | B |
| B | A351 | Sturnus vulgaris | | | w | | | | P | | | B | C | B |
| B | A311 | Sylvia atricapilla | | | w | | | | P | | | B | C | B |
| B | A310 | Sylvia borin | | | c | | | | P | | | B | A | B |
| B | A304 | Sylvia cantillans | | | p | | | | P | | | B | C | B |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|--|--|--|---|--|---|---|---|---|
| B | A309 | Sylvia communis | | | c | | | | P | | | B | B | B |
| B | A303 | Sylvia conspicillata | | | r | | | | P | | | B | C | B |
| B | A306 | Sylvia hortensis | | | r | | | | P | | | B | C | B |
| B | A305 | Sylvia melanocephala | | | p | | | | P | | | B | C | B |
| B | A302 | Sylvia undata | | | p | | | | P | | D | | | |
| B | A265 | Troglodytes troglodytes | | | p | | | | P | | | B | C | C |
| B | A286 | Turdus iliacus | | | w | | | | P | | | B | C | B |
| B | A283 | Turdus merula | | | p | | | | P | | | B | C | C |
| B | A285 | Turdus philomelos | | | w | | | | P | | | B | C | B |
| B | A284 | Turdus pilaris | | | w | | | | P | | | B | C | B |
| B | A282 | Turdus torquatus | | | w | | | | P | | | B | A | B |
| B | A287 | Turdus viscivorus | | | p | | | | P | | | B | C | B |
| B | A213 | Tyto alba | | | p | | | | P | | | B | C | B |
| B | A232 | Upupa epops | | | r | | | | P | | | B | C | C |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N15 | 2.0 |
| N18 | 10.0 |
| N08 | 31.0 |
| N17 | 2.0 |
| N09 | 14.0 |
| N21 | 41.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Los rasgos principales del lugar vienen definidos por la descripción en sus clases de hábitats.

4.2 Quality and importance

El Parque Natural de las Sierras Subbéticas alberga una flora que hace de estas sierras la zona más interesante, desde el punto de vista botánico, de toda la provincia de Córdoba. La presencia de un apreciable número de especies endémicas, así como de otras de distribución muy restringida, enriquece la interesante flora del área. Este espacio protegido alberga gran cantidad de especies animales incluida en diversos catálogos de especies protegidas, albergando un vasto elenco de entre las especies amenazadas existentes en el territorio andaluz, entre ellas y por su importancia, situación e interés comunitario, cabe destacar las siguientes: Gato montés, Halcón peregrino, Cernícalo primilla, Águila-azor perdicera, Águila real, Alimoche, Cangrejo de río autóctono. La abundancia de tajos proporciona zonas adecuadas de nidificación a las aves rupícolas, entre ellas el Águila-azor Perdicera (*Hieraaetus fasciatus*) y la Chova Piquirroja (*Pyrrhocorax pyrrhocorax*). También es importante para rapaces forestales. La protección de este espacio tiene como objetivo garantizar la pervivencia de las comunidades animales y vegetales existentes, y por tanto de la biodiversidad del espacio, en coexistencia con un aprovechamiento secular del territorio (ganadero, agrícola y cinegético), por parte del hombre, que hay que promocionar de forma sostenible.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| H | A07 | | I |
| H | A04 | | I |
| H | F03.01 | | I |
| M | A10 | | I |
| M | B02.02 | | I |
| H | D05 | | I |
| H | F03.02.02 | | I |
| M | F03.02.03 | | I |
| M | G05 | | I |
| M | K01.01 | | I |
| H | A08 | | I |
| M | E01.03 | | I |
| M | G01.04 | | I |
| H | C01.04.01 | | I |
| L | J02.05 | | I |
| H | A02 | | I |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |
| H | G01.02 | | I |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

| Type | [%] | |
|-----------------------|------------------|---|
| Public | National/Federal | 0 |
| | State/Province | 0 |
| | Local/Municipal | 0 |
| | Any Public | 0 |
| Joint or Co-Ownership | 0 | |
| Private | 96 | |
| Unknown | 0 | |
| sum | 96 | |

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| ES10 | 100.0 | | | | |

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|--|
| Organisation: | DIRECCIÓN GENERAL DE ESPACIOS NATURALES Y PARTICIPACIÓN CIUDADANA. CONSEJERÍA DE AGRICULTURA, PESCA Y MEDIO AMBIENTE. JUNTA DE ANDALUCÍA |
| Address: | AVD. DE MANUEL SIUROT 50. 41013 - SEVILLA. ESPAÑA - TLFNO. 95 500 35 78 |
| Email: | enrique.camello@juntadeandalucia.es |

6.2 Management Plan(s):

An actual management plan does exist:

| | | |
|-------------------------------------|------------------------|--|
| <input checked="" type="checkbox"/> | Yes | Name: PORN y PRUG del Parque Natural Sierras Subbéticas |
| | | Link: http://www.juntadeandalucia.es/medioambiente/site/portalweb/menuitem.7e1cf46ddf59bb227a9ebe205510e1ca/?vgn |
| <input type="checkbox"/> | No, but in preparation | |
| <input type="checkbox"/> | No | |

6.3 Conservation measures (optional)

PORN y PRUG aprobados por Decreto 79/1994, de 5 de abril (BOJA nº 70 de 18/05(94) Decreto 4/2004, de 13 de enero, por el que se aprueba el Plan de Ordenación de los Recursos Naturales y el Plan Rector de Uso y Gestión del Parque Natural Sierras Subbéticas