

- Alberts MJ. Diagnosis and treatment of ischemic stroke. *Am J Med* 1999; 106: 211-221.
- Antithrombotic Trialists Collaboration. Collaborative meta-analysis of randomised trials of antiplatelet therapy for prevention of death, myocardial infarction, and stroke in high risk patients. *BMJ* 2002; 324: 71-86.
- Arboix A. Código ictus. *Med Clin (Barc)* 1999; 113: 492-493.
- Bath PMW, Kennedy RL. Acute stroke. *BMJ* 2001; 320: 920-923.
- Caprie Steering Committee. A randomised, blinded, trial of clopidogrel versus aspirin in patients at risk of ischaemic events. *Lancet* 1996; 348: 1329-1339.
- Castillo J, Chamorro A, Dávalos A, Díez Tejedor E, Matías-Guiu J, Millá J, Murrillo Cabezas F, Romero FJ, Vázquez Mata G, Zarranz JJ. Atención multidisciplinaria del ictus cerebral agudo. *Med Clin (Barc)* 2000; 114: 101-106.
- CAVATAS Investigators. Endovascular versus surgical treatment in patients with carotid stenosis in the Carotid and Vertebral Artery Transluminal Angioplasty Study (CAVATAS): A Randomised Trial. *Lancet* 2001; 357: 1729-1737.
- Clinical Evidence 2001 (nº 6) (www.clinicalevidence.org).
- Cochrane Stroke Group (www.cochrane.de/cochrane/revabstr/g040index.htm)
- Eccles M, Freemantle N, Mason J and the North of England Aspirin Guideline Development Group. North of England evidence based guideline development project: guideline on the use of aspirine as secondary prophylaxis for vascular disease in primary care. *BMJ* 1998; 316: 1303-1309.
- European Stroke Initiative. Recommendations for stroke management. *Cerebrovascular Disease* 2000; 10: 335-351.
- Executive Summary of the Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III). *JAMA* 2001; 285 (19): 2486-2497.
- Goldstein LB, Adams R, Becker K, Furberg CD, Gorelick PB, Hademenos G, et al. Primary prevention of ischemic stroke. *Stroke* 2001; 32: 280-299.
- Guidelines Subcommittee. 1999 World Health Organization-International Society of Hypertension Guidelines for the Management of Hypertension. *J Hypertens* 1999; 17: 151-183.
- Kennedy RL, Bath PMW, Naylor AR. Secondary prevention of transient ischaemic attack and stroke. *BMJ* 2001; 320: 991-994.

- Management of patients with stroke. I: Assessment, investigation, immediate management and secondary prevention. A National Clinical Guideline of Scottish Intercollegiate Guidelines Network (SIGN). 1997. (www.sign.ac.uk).
- Management of patients with stroke. II: Management of carotid stenosis and carotid endarterectomy. A National Clinical Guideline of Scottish Intercollegiate Guidelines Network (SIGN). 1997. (www.sign.ac.uk).
- Management of patients with stroke. III: Identification and management of dysphagia. A National Clinical Guideline of Scottish Intercollegiate Guidelines Network (SIGN). 1997. (www.sign.ac.uk).
- Management of patients with stroke. IV: Rehabilitation, prevention and management of complications, and discharge planning. A National Clinical Guideline of Scottish Intercollegiate Guidelines Network (SIGN). 1998. (www.sign.ac.uk).
- Manejo del paciente con enfermedad vascular cerebral aguda. Recomendaciones 2000. Grupo de Estudio de las Enfermedades Cerebrovasculares de la Sociedad Española de Neurología.
- Manual de enfermedades vasculares cerebrales. 2ª ed. En: Castillo J, Álvarez-Sabín J, Martí-Villalta J, Martínez Vila E, Matías Guiu J, eds. Barcelona, Prous Science, 1999.
- National Guideline Clearinghouse (www.guidelines.gov/index.asp)
- Plaza Pérez I, Villar Álvarez F, Mata López, Pérez Jiménez F, Maiques Galán A, Casanovas Lenguas JA, Banegas Banegas JR, Tomás Abadal L, Rodríguez Artalejo F, Gil López E. Control de la colesterolemia en España, 2000. Un instrumento para la prevención cardiovascular. *Rev Esp Cardiol* 2000; 53: 815-837.
- Programa de Actividades Preventivas y de Promoción de la Salud de la Sociedad Española de Medicina Familiar y Comunitaria. (www.papps.org)
- PROGRESS Collaborative Group. Randomised trial of a perindopril-based blood-pressure-lowering regimen among 6105 individuals with previous stroke or transient ischaemic attack. *Lancet* 2001; 358: 1033-1041.
- Ramsay LE, Williams B, Johnston GD, MacGregor GA, Poston L, Potter JF, Poulter NR, Russel G. British Hypertension Society Guidelines for hypertension management 1999: summary. *BMJ* 1999; 319: 630-635.
- Rothrock JF, Lyden PD, Yee J, Wiederholt WC. Crescendo transient ischaemic attacks: clinical and angiographic correlations. *Neurology* 1988; 38: 198-201.
- Royal College of Physicians. National Clinical Guidelines for Stroke. 2000. (www.rcplondon.ac.uk/pubs/books/stroke/index.htm).
- Sánchez Blanco I. Rehabilitación de pacientes tras accidente cerebrovascular. *Rehabilitación* 2000; 34 (6): 393-518.
- Stroke Units: an evidence based approach. In Langhorne P, Dennis M, eds. London, British Medical Journal Publishing Group, 1998.
- Stroke. *Neurologic Clinics*. 2000; 18 (2).

- The Heart Outcomes Prevention Evaluation Study Investigators. Effects of an angiotensin-converting-enzyme inhibitor, ramipril, on cardiovascular events in high-risk patients. *N Engl J Med* 2000; 342: 145-153.
- The Sixth Report of the Joint National Committee on Detection, Evaluation and Treatment of High Blood Pressure (JNC VI). *Arch Intern Med* 1997; 157: 2413-2446.
- WHO Regional Office for Europe and the European Stroke Council. Paneuropean Consensus Meeting on Stroke Management. Helsingborg, Sweden, 8-10 November 1995.
- Wolf PA, Clagett P, Easton D, Goldstein LB, Gorelick PB, Kelly-Hayes M, Sacco RL, Whisnant JP. Preventing ischemic stroke in patients with prior stroke and transient ischemic attack. *Stroke* 1999; 30: 1991-1994.
- Zarranz Imirizaldu JJ. Tratamiento antiagregante para la prevención de los ictus cerebrales isquémicos: un análisis de beneficio/riesgo. *Med Clin (Barc)* 1997; 109: 802-807.