



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ES0000140
SITENAME Bahía de Cádiz

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type	1.2 Site code	Back to top
C	ES0000140	

1.3 Site name

Bahía de Cádiz

1.4 First Compilation date	1.5 Update date
1997-12	2022-10

1.6 Respondent:

Name	DIRECCIÓN GENERAL DE ESPACIOS NATURALES PROTEGIDOS. CONSEJERÍA DE SOSTENIBILIDAD, MEDIO AMBIENTE Y
/Organisation:	ECONOMÍA AZUL. JUNTA DE ANDALUCÍA.
Address:	AVDA. MANUEL SIUROT, 50. 41013-SEVILLA, ESPAÑA - TLFNO.: +34 955 00 34 00
Email:	natura2000fnd.csmaea@juntadeandalucia.es

1.7 Site indication and designation / classification dates

Date site classified as SPA:	1993-06
National legal reference of SPA designation	Disposición transitoria séptima de la Ley 18/2003, de 29 de diciembre, por la que se aprueban medidas fiscales y administrativas
Date site proposed as SCI:	2001-01
Date site confirmed as SCI:	No data
Date site designated as SAC:	2012-09
National legal reference of SAC designation:	Decreto 493/2012, de 25 de septiembre, por el que se declaran determinados lugares de importancia comunitaria como Zonas Especiales de Conservación de la Red Ecológica Europea Natura2000 en la Comunidad Autónoma de Andalucía.
Explanation(s):	Enlace a Decreto: http://www.juntadeandalucia.es/eboja/2012/200/BOJA12-200-00029-16202-01_00014480.pdf

2. SITE LOCATION

Longitude

-6.1908

Latitude

36.4012

2.2 Area [ha]:

10522.05

2.3 Marine area [%]

12.93

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
ES61	Andalucía
ESZZ	Extra-Regio

2.6 Biogeographical Region(s)

Mediterranean (87.07 %)

Marine (12.93 %)

Atlantic %)

3. ECOLOGICAL INFORMATION

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1110 8			250.95		M	A	B		
1130 8			650.339		M	B	B		
1140 8			5292.499		M	A	A		
1150 8			617.625		M	C	C	B	C
1160 8			1596.805		M	A	B		
1170 8			18.6		M	C	C		
1210 8			19.594		M	C	B	B	B
1310 8			31.155		M	C	C	A	C
1320 8			110.568		M	A	B	A	A
1410 8			10.731		M	C	C	C	C
1420 8			3535.12		M	B	B	A	A
1510 8			6.223		M	C	C	B	B
2120 8			58.091		M	A	B	A	A
2130 8			2.481		M	C	C	B	B
2250 8			12.059		M	C	C	A	C
2260 8			45.498		M	C	C	B	B
2270 8			63.119		M	B	C	A	B
6310 8			0.115		M	C	C	C	C

- PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

[illegible]

B	A861	Calidris pugnax			c				P	DD	D			
R	1224	Caretta caretta			c				P	DD	D			
B	A138	Charadrius alexandrinus			w	1162		i	P	G	A	B	C	A
B	A138	Charadrius alexandrinus			r	166	379	p	P	G	B	B	C	A
B	A136	Charadrius dubius			r		1	p	P	G	C	B	C	C
B	A136	Charadrius dubius			w		7	i	P	G	C	B	C	C
B	A137	Charadrius hiaticula			w	3232	5625	i	P	G	A	B	C	A
B	A734	Chlidonias hybrida			c				P	DD	D			
B	A197	Chlidonias niger			c				P	DD	D			
B	A031	Ciconia ciconia			r	1	3	p	P	G	C	B	C	C
B	A031	Ciconia ciconia			w	15	531	i	P	G	B	B	C	C
B	A031	Ciconia ciconia			p				P	DD	D			
B	A030	Ciconia nigra			c				P	DD	D			
B	A030	Ciconia nigra			w	7	41	i	P	G	C	B	C	B
B	A081	Circus aeruginosus			c				P	DD	D			
B	A081	Circus aeruginosus			w	26		i	P	G	C	B	C	C
B	A081	Circus aeruginosus			r		1	p	P	G	D	B	C	B
F	5302	Cobitis paludica			p				P	DD	D			
B	A480	Cyanecula svecica			w				P	DD	D			
A	1194	Discoglossus galganoi			p				P	DD				
B	A026	Egretta garzetta			r	40	69	p	P	G	C	B	C	B
B	A026	Egretta garzetta			w	251	493	i	P	G	B	B	C	B
R	1220	Emys orbicularis			p				P	DD	D			
B	A125	Fulica atra			r	0	39	p	P	G	C	B	C	C
B	A125	Fulica atra			w	6	200	i	P	G	C	B	C	C
B	A244	Galerida cristata			p				P	DD	D			
B	A153	Gallinago gallinago			w	0	22	i	P	G	C	B	C	C
B	A123	Gallinula chloropus			r	1	14	p	P	G	C	B	C	C
B	A123	Gallinula chloropus			w	6	30	i	P	G	C	B	C	C
B	A003	Gavia immer			c				P	DD				
B	A189	Gelochelidon nilotica			c				P	DD	D			
B	A135	Glareola pratincola			r	0	30	p	P	G	C	B	C	C
B	A127	Grus grus			w	3		i	P	G	D	B	C	C
B	A130	Haematopus ostralegus			w	287		i	P	G	A	B	C	A
B	A131	Himantopus himantopus			r	165	461	p	P	G	C	B	C	B
B	A131	Himantopus himantopus			w	521		i	P	G	B	B	C	B
B	A854	Hydrobates leucorhous			c				P	DD	D			
B	A014	Hydrobates pelagicus			c				P	DD				
B	A862	Hydrocoloeus minutus			w				P	DD	D			
B	A894	Hydroprogne caspia			w	52	100	i	P	G	A	B	C	A
B	A181	Larus audouinii			c				P	DD	D			
B	A181	Larus audouinii			w	55		i	P	G	B	B	C	B
B	A183	Larus fuscus			w	6243		i	P	G	B	C	B	C
B	A183	Larus fuscus			r		2	p	P	G	B	C	B	C
B	A180	Larus genei			w	488		i	P	G	C	B	C	B
B	A180	Larus genei			r	172	311	p	P	G	B	B	C	B

[illegible]

B	A722	porphyrio			p				P	DD	D			
B	A722	Porphyrio porphyrio porphyrio			r	0	2	p	P	G	D	B	C	C
B	A722	Porphyrio porphyrio porphyrio			w	29		i	P	G	C	B	C	C
F	6162	Pseudochondrostoma willkommii			p				P	DD	D			
B	A132	Recurvirostra avosetta			w	1688	2655	i	P	G	B	B	C	A
B	A132	Recurvirostra avosetta			r	476	923	p	P	G	B	B	C	A
B	A188	Rissa tridactyla			c				P	DD				
B	A276	Saxicola torquata			p				P	DD	D			
B	A857	Spatula clypeata			w	341	1085	i	P	G	C	B	C	B
B	A856	Spatula querquedula			w				P	DD	D			
B	A193	Sterna hirundo			w	1		i	P	G	D	B	C	C
B	A193	Sterna hirundo			c				P	DD	D			
B	A885	Sternula albifrons			r	204	660	p	P	G	A	B	C	A
B	A303	Sylvia conspicillata			r				P	DD	D			
B	A004	Tachybaptus ruficollis			r	0	4	p	P	G	D	B	C	B
B	A004	Tachybaptus ruficollis			w	9	87	i	P	G	C	B	C	B
B	A048	Tadorna tadorna			w	1419		i	P	G	B	B	C	B
B	A048	Tadorna tadorna			r	10	39	p	P	G	B	B	C	B
B	A863	Thalasseus sandvicensis			c				P	DD	D			
B	A863	Thalasseus sandvicensis			w	76	125	i	P	G	B	B	C	A
B	A161	Tringa erythropus			w	0	1	i	P	G	D	B	C	C
B	A166	Tringa glareola			w	0	2	i	P	G	D	B	C	C
B	A164	Tringa nebularia			w	117	193	i	P	G	A	B	C	A
B	A165	Tringa ochropus			w	4	26	i	P	G	C	B	C	C
B	A165	Tringa ochropus			c				P	DD	D			
B	A163	Tringa stagnatilis			c				P	DD	D			
B	A162	Tringa totanus			r	0	5	p	P	G	C	B	C	C
B	A162	Tringa totanus			c				P	DD	D			
B	A162	Tringa totanus			w	1553	2119	i	P	G	A	B	C	A
B	A142	Vanellus vanellus			r	0	4	p	P	G	C	B	C	C
B	A142	Vanellus vanellus			w	9	102	i	P	G	C	B	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

[illegible]

[illegible]

[illegible]

I		Patella vulgata						P						X
A	1198	Pelobates cultripes						P	X		X		X	
B	A171	Phalaropus fulicarius						P			X		X	
B	A273	Phoenicurus ochruros						P			X		X	
I		Pholas dactylus Linnaeus, 1758			1	0	grids1x1	P						X
A	2349	Pleurodeles waltl						P			X		X	
F	2550	Pomatoschistus microps						P						X
A	1211	Rana perezi						P		X				
M	5815	Rattus norvegicus						P						X
P		Ruppia drepanensis Tineo			0	0	area	R						X
P		Ruppia maritima L.			0	0	area	R						X
P		Scilla peruviana						P						X
I		Scrobicularia plana						P						X
B	A361	Serinus serinus						P					X	
P		Silene ramosissima Desf.			0	0	i	R						X
F	5848	Solea senegalensis						P						X
I		Solen marginatus						P						X
P		Spartina maritima			0	0	area	R						X
F	5854	Sparus auratus						P						X
I		Streblospio shrubsolii						P						X
I		Streptocephalus torvicornis						P						X
B	A352	Sturnus unicolor						P					X	X
B	A351	Sturnus vulgaris						P						X
B	A311	Sylvia atricapilla						P			X		X	
B	A305	Sylvia melanocephala						P			X		X	
I		Tanyrastix stagnalis						P						X
I		Tapes aureus						P						X
I		Tapes decussatus						P						X
R	2386	Tarentola mauritanica						P			X			
P		Triglochin laxiflora Guss.			0	0	i	R						X
I		Triops cancriformis						P						X
P		Tripolium pannonicum (Jacq.) Dobroc.			0	0	i	R						X
B	A283	Turdus merula						P					X	
I		Uca tangeri						P						X
I		Upogebia verrucosa						P						X
I		Venerupis pullastra						P						X
I		Venus verrucosa						P						X
M		Verbascum masquindalii (Pau) C. Benedíle; Gonz&agrave;lez & J.M. Montserrat I Mart&iacute;le;			0	0	i	R			X			X

P		Verbascum pseudocreticum			100	150	i	R						X
P		Zostera marina						P			X		X	
P		Zostera noltii			4064355	0	area	P			X			X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N23	2.0
N08	2.0
N03	29.0
N02	62.0
N17	1.0
N04	2.0
N09	2.0
Total Habitat Cover	100

Other Site Characteristics

Espacio costero con gran influencia del medio marino, donde predominan las marismas mareales, constituyendo un ecosistema con una elevada productividad biológica, siendo muy importante para la fauna, especialmente para las aves y peces, al constituir un apropiado lugar de cría y alimentación; Además para las aves es un enclave especial en las rutas migratorias entre el continente europeo y el africano, actuando como zonas de paso e invernada.

4.2 Quality and importance

Lugar donde predominan los ecosistemas de transición marino-terrestres, con presencia de especies y Hábitats de Interés Comunitario (Directiva 92/43/CEE), así como especies de flora y fauna amenazada. Siendo importante para hábitats costeros y vegetación halófila, al igual que para las aves en especial las aves litorales. Se ha incorporado la evaluación de especies de flora incluidas tanto en el Listado Andaluz de Especies Silvestres en Régimen de Protección Especial (LAESPE), como en la Lista Roja de la Flora Vascular de Andalucía: *Artemisia caerulescens* subsp. *caerulescens*, *Tripolium pannonicum*, *Cistanche phelypaea*, *Cynomorium coccineum*, *Juniperus phoenicea* subsp. *turbinata*, *Limonium algarvense*, *Ononis tournefortii*, *Ornithogalum arabicum*, *Ruppia drepanensis*, *Ruppia maritima*, *Silene ramosissima*, *Spartina maritima*, *Triglochin laxiflora* y *Verbascum pseudocreticum*.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	J02.01.03		i
H	E01		o
M	D02		b
H	J03.02		b
H	D01		b
M	J03.01		i
H	F02		i
M	I01		b

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
L	U		i

H	E02		o
M	F01		i
M	K01.01		i
M	G01		b
M	H05		l
M	E01.03		o
M	K01.02		i

Rank: H = high, M = medium, L = low
Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,
T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions
i = inside, o = outside, b = both

4.4 Ownership (optional)

Type		[%]
Public	National/Federal	98
	State/Province	0
	Local/Municipal	0
	Any Public	0
Joint or Co-Ownership		0
Private		2
Unknown		0
sum		100

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
ES19	0.71	ES13	4.48	ES10	100.0

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
ES99	Zona de Especial Protección para las Aves (ZEPA) Espacio marino de la Bahía de Cádiz	/	
ES19	Punta del Boquerón	+	0.71
ES13	Marismas de Sancti Petri	+	1.49
ES10	Bahía de Cádiz	=	100.0
ES13	Isla del Trocadero	+	2.99

designated at international level:

Type	Site name	Type	Cover [%]
ramsar	Bahía de Cádiz	*	96.66

5.3 Site designation (optional)

Declarado Parque Natural por la Ley 2/1989, de 18 de julio, por la que se aprueba el inventario de Espacios Naturales Protegidos de Andalucía y se establecen medidas adicionales para su protección.

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

DIRECCIÓN GENERAL DE ESPACIOS NATURALES PROTEGIDOS. CONSEJERÍA DE SOSTENIBILIDAD, MEDIO

Organisation:	AMBIENTE Y ECONOMÍA AZUL. JUNTA DE ANDALUCÍA.
Address:	AVDA. MANUEL SIUROT, 50. 41013-SEVILLA, ESPAÑA - TLFNO.: +34 955 00 34 00
Email:	natura2000fnd.csmaea@juntadeandalucia.es

6.2 Management Plan(s):

An actual management plan does exist:

☒	Yes	Name: PORN y PRUG del Parque Natural Bahía de Cádiz (Incluye los Parajes Naturales Isla del Trocadero y Marismas de Sancti Petri) Link: http://www.juntadeandalucia.es/boja/2004/71/2
☐	No, but in preparation	
☐	No	

6.3 Conservation measures (optional)

Decreto 79/2004, de 24 de febrero, por el que se aprueba el Plan de Ordenación de los Recursos Naturales y el Plan Rector de Uso y Gestión del Parque Natural Bahía de Cádiz. Se prorroga la vigencia del PORN y PRUG aprobado por el anterior decreto mediante la Orden de 9 de marzo de 2012 (Boja nº 63, de 30 de marzo).

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:	
-------------	--

Map delivered as PDF in electronic format (optional)

☐	Yes	☒	No
--------------------------	-----	-------------------------------------	----

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

--